



## TEGERA® 114

Leather glove, unlined, 0,6-0,7 mm full grain goatskin of top quality, nylon, Cat. II, grey, white, elasticated 180°, for fine assembly work

### PROPERTIES

High level of protection, extremely good fingertip sensitivity, durable, perfect fit

### SPECIFICATION

TYPE OF GLOVE Work gloves - General handling

CATEGORY Cat. II

SIZE RANGE (EU) 5, 6, 7, 8, 9, 10, 11

PALM MATERIAL Full grain goatskin of top quality

PALM THICKNESS 0,6-0,7 mm

BACK MATERIAL Nylon

LINING Unlined

DEXTERITY 5

FASTENING Elasticated 180°

LENGTH RANGE 210-260 mm

COLOUR Grey, white

PAIRS PER PACKAGE/CARTON 12/120

PIECES PER BOX 12

DISPLAY Thread

MATERIAL SPECIFICATION Leather, nylon, natural latex

SIZE	ART. NO.	EAN NO.
10	114-10	7392626011403
11	114-11	7392626011410
6	114-6	7392626011465
7	114-7	7392626011472
8	114-8	7392626011489
9	114-9	7392626011496
5	114-5	7392626013940

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.



## TEGERA® 114

### PREVENTS RISK OF

Abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt

### PRIMARY ENVIRONMENTS OF USE

Dry environments, dirty environments

### PRIMARY AREAS OF USE

Fine assembly, inspection work, machine operating, building and construction, carpentry, installation work, HVAC installation, construction, engineering, transport work, machine driving, warehouse work, airport work, wood industry work, repair work

### PRIMARY INDUSTRIES OF USE

Mining, pulp and paper, automotive, transportation, building and construction, HoReCa, service, retail

### TYPE OF WORK

Light weight

2(3)

CE Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
2011X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-06-14

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

# TEGERA® 114

## EU-TYPE EXAMINATION

0493 Centexbel, Technologiepark 70, BE-9052 Zwijnaarde (Gent) Belgium

## COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	2	(4)
b) Cut resistance (Index)	0	(5)
c) Tear resistance (N)	1	(4)
d) Puncturing resistance (N)	1	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

## EN 388 – Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)



CE Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
2011X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-06-14

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com